


Adapters


IX-125 iLoad Mini Adapter (17-4PH)



★ Suitable for use with iLoad Mini Stainless Steel Load Cells.

★ Includes three 2-56x1/4 screws.


IX-125A iLoad Mini Adapter (Aluminum)



★ Suitable for use with iLoad Mini Aluminum Load Cells

★ Includes three 2-56x1/4 screws.


TX-125 iLoad Mini Adapter (17-4PH)



★ Suitable for use with iLoad Mini Stainless Steel Load Cells

★ Includes three 2-56x1/4 screws.

TX-125A iLoad Mini Adapter (Aluminum)



★ Suitable for use with iLoad Mini Aluminum Load Cells.


★ Includes three 2-56x1/4 screws.

Adapters

IX-300 iLoad Adapter




- ★ Suitable for use with iLoad Digital or iLoad Analog Load Cells
- ★ Includes three 4-40x1/2 screws.



TX-300TA iLoad TR Adapter




- ★ Made with Aluminum this adapter is suitable for use with iLoad TR Digital or iLoad TR Analog Load Cells up to 100 lbs.
- ★ Includes three 4-40x7/16 screws.



TX-325 iLoad Pro Adapter (<5K lb.)



- ★ Made from Stainless Steel. Suitable for use with iLoad Pro Digital or iLoad Pro Analog Load Cells up to 2,500 lbs.
- ★ Includes three 10-32x5/8 screws.




Adapters

TX-400 iLoad Pro Adapter (5K–10K lb.)



- ★ Made from Stainless Steel. Suitable for use with iLoad Pro Digital or iLoad Pro Analog Load Cells from 5,000–10,000 lbs.
- ★ Includes six 1/4-20x3/4 screws.



TX-RSB3 For RSB3 Button Load cell



- ★ Made from Stainless Steel. Suitable for use with RSB3 Load cell up to 500 kg.
- ★ Includes three M5x12mm screws.

